(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
No.	(2) Name and Location	Position	Characteristic	Hèight	(6) Range	Structure	Remarks	
17400	- Buoy 4A						Remove from list.	
								11/0
24633	UCONN Environmental Monitoring Lighted Buoy						Remove from list.	
							*	11/0
		CORRECT	IONS TO C. G. LIGHT	LIST VOLU	ME II ATI	ANTIC COAST 1000		
(1) No.	(2) Name and Location	(3) Position	(4)	(5) Height	(6)	(7) Structure	(8) Remarks	
No.	Name and Location  OCRACOKE INLET AND NOF		Characteristic	Height	Range	Structure	Remarks	
	Ocracoke Inlet	THERN CORE S	COND (Chart 11550)					
	Due to frequently changing cor	nditions, positions	of aids are not listed.					
28895	- Entrance Lighted	,,	Mo (A) W		6	Red and white stripes.		
665	Whistle Buoy OC					*		44
20005	- CHANNEL LIGHT 61		<b>FI G</b> 4s	16	3	SG on pile.		11/
30935	90 feet outside channel							
30935	90 feet outside channel limit.							
30935	90 feet outside channel					*		11/
30935	90 feet outside channel limit. *	CORRECTIONS		VOLUME III	ATLANTIO	* C AND GULF COAST, 1999		11/
(1) No.	90 feet outside channel limit. *	CORRECTIONS (3) Position		VOLUME III (5) Height	ATLANTIO (6) Range		(8) Remarks	11/
(1)	90 feet outside channel limit. *		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999	(8) Remarks	11/
(1) No.	90 feet outside channel limit.  *  (2)  Name and Location		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure	(8) Remarks	
(1) No. 3735	90 feet outside channel limit.  *  (2)  Name and Location		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.	(8) Remarks	
(1) No. 3735	90 feet outside channel limit.  *  (2)  Name and Location  - Buoy 2		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.	(8) Remarks	11/
(1) No.	90 feet outside channel limit.  *  (2)  Name and Location  - Buoy 2		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *	(8) Remarks	11/
(1) No. 3735	90 feet outside channel limit.  *  (2)  Name and Location  - Buoy 2  - Buoy 4		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.	(8) Remarks	11/
(1) No. 3735	90 feet outside channel limit.  *  (2)  Name and Location  - Buoy 2  - Buoy 4		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.	(8) Remarks	11/
(1) No. 8735 8735.1	90 feet outside channel limit.  *  Name and Location  - Buoy 2  - Buoy 4  - Buoy 5		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.	(8) Remarks	11/
(1) No. 1735 1735.1	90 feet outside channel limit.  *  Name and Location  - Buoy 2  - Buoy 4  - Buoy 5		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.  *  Red nun.	(8) Remarks	11/
(1) No. 3735 3735.1	90 feet outside channel limit.  *  Name and Location  - Buoy 2  - Buoy 4  - Buoy 5  - Buoy 6		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.  *  Red nun.	Remarks	11/
(1) No. 735 735.1 735.2 735.3	90 feet outside channel limit.  *  Name and Location  - Buoy 2  - Buoy 4  - Buoy 5  - Buoy 6		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.  *  Red nun.	Remarks  Remove from list.	11.
(1) No. 3735 3735.1	90 feet outside channel limit.  *  Name and Location  - Buoy 2  - Buoy 4  - Buoy 5  - Buoy 6		TO C. G. LIGHT LIST,		(6)	C AND GULF COAST, 1999  (7) Structure  Red nun.  *  Red nun.  *  Green can.  *  Red nun.	Remarks  Remove from list.	11,

	CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999								
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks		
3745	- Buoy 11					Green can.			
						*	11/00		
3750	- Buoy 13					Green can.			
						*	11/00		
3750.5	- Buoy 14					Red nun.			
						*	11/00		
3750.6	- Buoy 16					Red nun.			
						*	11/00		
3755	- Buoy 18					Red nun.			
						*	11/00		
3760	- Buoy 19					Green can.			
						*	11/00		
10870	- Daybeacon 18	25 39 18 N 80 10 48 W				TR on pile.			
	*	80 10 48 W	*						
			*		*		11/00		
54755	- Buoy 93A					Green can.			
	*					*	11/00		
		CORRECTI	ONS TO C. G. LIGHT	LIST, VOLU	ME IV GUI	LF OF MEXICO, 1999			
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks		
1075	OLD SABINE BANK LIGHT	29 28 18 N 93 43 24 W	Q W	30	5	Red conical tower on cylindrical caisson.	Shows 2 quick flashing obstruction lights.		
	*	30 40 24 W	*	*	*	caisson.	* 11/00		
5110	- LOWER REACH OUTER		Oc W 4s	82		Skeleton tower on piles.	Passing lights visible all around.		
3110	RANGE REAR LIGHT 2,099 yards, 187°		Oc W 4s FI W 4s	80 23	5	Oreleton tower on piles.	r assing lights visible all around.		
	from front light.						44/00		
			*				11/00		
31135	- LIGHT 75	30 24 06 N 86 45 24 W	QG	17	3	SG-SY on pile.	Ra ref.		
		*					11/00		
32955	- LIGHT 7 60 feet outside channel	30 10 48 N 89 20 06 W	FI G 4s	17	4	SG-SY on pile.	Ra ref.		
	limit.	00 20 00 W							
			*				11/00		
35270	- Buoy 27	29 11 54 N 95 09 48 W				Green can.			
		*					11/00		

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	Oyster Lake						
35405	- Daybeacon 1	29 07 48 N 95 10 30 W				SG-SY on pile.	
		*					11/00

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
984.1	NOAA Data Lighted Buoy 46003						Remove from list.	
							*	11/00
9820	- NORTH JETTY LIGHT 3	45 34 12 N 123 58 00 W	FI <b>G</b> 2.5s	26	4	Green pile structure.	Due to weather condition dayboards have been permanently removed this aid. HORN: 1 blast ev 30s (3 Sound signal maintain June 1 to Oct. 1.	form 3s bl).
							*	11/00
17110	- LIGHT 4		FIR 6s	15	5	TR on pile.		
47445	LIQUE		El 0.4-	47	-	*		11/00
17115	- LIGHT 5		FI G 4s	17	5	SG on pile.		11/00
17225	POINT EVANS LIGHT 4	47 17 06 N 122 32 54 W	FI R 4s	18	4	TR on pile.		
		*						11/00
17298	Pitt Passage Rocks Daybeacon	47 13 06 N 122 43 00 W				NW on pile worded DANGER SHOAL.		
		*						11/00
18010	- LIGHT 4	47 37 18 N 122 29 54 W	FIR 4s	15	4	TR on dolphin.	Higher intensity beam do channel. Ra ref.	own
		*						11/00
18625	- LIGHT 4	48 08 00 N 122 30 42 W	FIR 4s	15	5	TR on tower.		
		*				*		11/00
*18829	- Buoy 12	48 22 12 N 122 30 36 W				Red nun.		
								11/00
18835	- LIGHT 14	48 22 30 N 122 30 36 W	QR	15	3	TR on platform.		
		*				*		11/00

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
19175	- LIGHT 5	48 34 00 N 122 40 06 W	FI G 4s	16	5	SG on skeleton tower.	Higher intensity beam u down channel.	ip and
						*		11/00
21967	Gnat Cove log Boom Markers (2)						Remove from list.	
							*	11/00
21984	Shelter Cove Log Boom Markers (3)						Remove from list.	
							*	11/00
22342	Marguerite Bay Log Rafting Boom Markers (3)						Remove from list.	
							*	11/00
22343	Marguerite Bay Log Storage Markers (2)						Remove from list.	
							*	11/00
23360	- Lighted Buoy 13	56 56 24 N 133 53 36 W	FI G 2.5s		3	Green.		
	*		*			*		11/00
23670	Sheep Creek Salmon Pen Lights (2)						Remove from list.	
							*	11/00
	*Delete Heading: *Chatham Strait							
24095	Freshwater Bay Daybeacon 5						Remove from list.	
							*	11/00
	*Add Heading: *Chatham Strait							
24100	- LIGHT 20	58 02 48 N 134 48 36 W	FIR 4s	35	4	TR on skeleton tower.	Obscured from 175° to	353°.
								11/00
24366	- Log Boom Buoys (9)						Remove from list.	
	CONTROLLER BAY (Chart 16	723)						11/00
	Controller Bay	,						
25450	MARTIN ISLANDS LIGHT	60 09 54 N 144 36 24 W	FI W 6s	150	6	NR on skeleton tower.	Obscured from 174° to	255°.
							*	11/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999								
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	Valdez Arm							
25700	- Lighted Buoy 9	60 57 12 N 146 52 30 W	FI <b>G</b> 4s		4	Green.		
	*						11/00	